


Safety Data Sheet

Stonepoxy Parte B



Safety Data Sheet dated 27/9/2002, version 2

1. IDENTIFICATION OF THE PRODUCT AND OF THE PRODUCER

Trade name: Stonepoxy Parte B
Trade code: 048STONEPOXYB-EN
Product type and use: Polyether mastic for marble and stone.
Seller:

Bellinzoni s.r.l. - Via Don Gnocchi, 4 20016 Pero (MI)
Tel. +390233912133 Fax +390233915224

Emergency telephone number of the company and/or of an authorised advisory centre:

E.U.: Centro Antiveleni - Ospedale di Niguarda - Milano - Tel. +39 0266101029

U.S.A.: Chemtech +1.800.424.9300

International: +1.703.527.3887

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components within the meaning of EEC directive 67/548 and corresponding classification:

15% - 20% Trimetilesametildiammina

CAS: 25620-58-0

C Corrosive

R43 May cause sensitization by skin contact.

7% - 10% M-M-Xililendiammina

CAS: 1477-55-0

C Corrosive

R20/22 Harmful by inhalation and if swallowed.

R34 Causes burns.

R43 May cause sensitization by skin contact.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

5% - 7% 4-Nonil-fenolo

N.67/548/CEE: 601-053-00-8 CAS: 25154-52-3 EINECS: 246-672-0

C Corrosive

N Dangerous for the environment

R22 Harmful if swallowed.

R34 Causes burns.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

5% - 7% benzyl alcohol

N.67/548/CEE: 603-057-00-5 CAS: 100-51-6 EINECS: 202-859-9

Xn Harmful

R20/22 Harmful by inhalation and if swallowed.

3. HAZARDS IDENTIFICATION

The product is harmful following acute exposure to it and poses a serious health threat if inhaled or ingested.

The product is corrosive and, if brought into contact with the skin, causes burning, with the destruction of the entire thickness of skin tissue.

If brought into contact with the skin, the product may cause sensitisation of the skin.

Safety Data Sheet

Stonepoxy Parte B

4. FIRST AID MEASURES

Contact with skin:

Immediately take off all contaminated clothing.
After contact with skin, wash immediately with plenty of water and soap.
OBTAIN IMMEDIATE MEDICAL ATTENTION.

Contact with eyes:

Wash immediately and thoroughly with running water, keeping eyelids raised, for at least 10 minutes. Following this, protect the eyes with sterile gauze or a clean, dry, handkerchief.
OBTAIN A MEDICAL EXAMINATION.
Do not use eyewash or ointment of any kind (before obtaining an examination or advice from an eye specialist).

Swallowing:

Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.
Give liquid paraffin to drink; do not give milk or animal or vegetable fats of any kind.
Give 1 pint of milk or water to drink. Give repeated drinks of water (one cupful) every 10 minutes.

Inhalation:

Ventilate the premises. The patient is to be removed immediately from the contaminated premises to rest in a well ventilated area. OBTAIN MEDICAL ATTENTION.

5. FIRE-FIGHTING MEASURES

Recommended extinguishers:

Water, CO₂, Foam, Chemical powders, according to the materials involved in the fire.

Extinguishers not to be used:

None in particular.

Risks arising from combustion:

Avoid inhaling the fumes.

Protective equipment:

Use protection for the respiratory tract.

6. ACCIDENTAL RELEASE MEASURES

Measures for personal safety:

Use a mask, gloves and protective clothing.

Environmental measures:

Limit leakages with earth or sand.
If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

Cleaning methods:

Rapidly recover the product. To do so, wear a mask and protective clothing.
If the product is in a liquid form, stop it from entering the drainage system.
Recover the product for re-use if possible, or for elimination. The product might, where appropriate, be absorbed by inert material.
After the product has been recovered, rinse the area and materials involved with water.

7. HANDLING AND STORAGE

Handling precautions:

Avoid contact and inhalation of the vapours. See, too, paragraph 8 below.
Do not eat or drink while working.

Incompatible materials:

None in particular.

Storage conditions:

Instructions as regards storage premises:
Adequately ventilated premises.

Safety Data Sheet

Stonepoxy Parte B

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Respiratory protection:

Use adequate protective respiratory equipment, e.g. CEN/FFP-2(S) or CEN/FFP-3(S).

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Eye protection:

Use close fitting safety goggles and/or visor conforming to BS 2092 GRADE 1).

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Exposure limit(s) (ACGIH):

None.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	White Paste
Odour:	Of ammonia
pH:	11
Flash point:	>100°C
Vapour pressure:	<0.01 kPa (23°C)
Relative density:	1.55 g/cm ³ (23°C)
Solubility in water:	Partially soluble
Lipid solubility:	Insoluble

10. STABILITY AND REACTIVITY

Conditions to avoid:

Stable under normal conditions.

Substances to avoid:

None in particular.

Hazardous decomposition products:

None.

11. TOXICOLOGICAL INFORMATION

The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.

Set out below is the toxicological information relating to the main substances in the preparation.

benzyl alcohol

LD50 (RABBIT) SKIN SINGLE DOSE: 2000 MG/KG

12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

List of substances dangerous for the environment and corresponding classification:

5% - 7% 4-Nonil-fenolo

N.67/548/CEE: 601-053-00-8 CAS: 25154-52-3 EINECS: 246-672-0

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

048STONEPOXYB-EN/2

Page n. 3 of 4

76

Safety Data Sheet

Stonepoxy Parte B

UN number:	2735
Road (ADR):	8,53°C
Rail (RID):	8,53°C
Air (ICAO/IATA):	8(III)
Marine pollutant:	0
Sea (IMO):	p.8109-2, cl. 8(III)

15. REGULATORY INFORMATION

88/379/EEC (Classification and Labelling):

Symbols:

C Corrosive

R Phrases:

R20/22 Harmful by inhalation and if swallowed.

R34 Causes burns.

R43 May cause sensitization by skin contact.

S Phrases:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin, wash immediately with plenty of water and soap.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S60 This material and its container must be disposed of as hazardous waste.

Contents:

Trimetilesametilendiammina

M-M-Xilendiammina

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

16. OTHER INFORMATION

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

ACGIH - Treshold Limit Values - 1993/94 edition

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.
