



# Tenax Spa

## INDURENTE GLAXS 75

Revision nr.3  
Dated 29/12/2009  
Printed on 29/12/2009  
Page n. 1 / 5

EN

### Safety Data Sheet

#### 1. Identification of the substance / preparation and the Company

##### 1.1 Identification of the substance or preparation

Product name **INDURENTE GLAXS 75**

##### 1.2 Use of the substance / preparation

##### 1.3 Company identification

Name **Tenax Spa**  
Full address **Via I Maggio, 226**  
District and Country **020 Volargne (VR)**  
**Italy**  
Tel. **045/6887593**  
Fax **045/6862456**  
e-mail address of the competent person responsible for the Safety Data Sheet **tenax@tenax.it**

Product distribution by **Tenax B.U.**

##### 1.4 Emergency telephone

For urgent inquiries refer to **European emergency number: 112 Centro antiveleni: 0039 02 66101029 Tenax: 0039 045 6887593 / 0039 045 6860222**

#### 2. Hazards Identification.

##### 2.1 Substance/Preparation Classification.

This product is dangerous under 67/548/EEC and 1999/45/EC directives and subsequent amendments. Therefore, this product requires a safety data sheet according to the Regulation (EC) 1907/2006 and subsequent amendments. Further information on health and/or environmental hazards can be found in sections 11 and 12 of this sheet.

Danger Symbols: **Xi**

R phrases: **43**

##### 2.2 Danger Identification.

**MAY CAUSE SENSITIZATION BY SKIN CONTACT.**

This product contains isocyanates.

Producer's specifications are as follows:

Ready-to-use products containing isocyanates may irritate mucosas, particularly those of the respiratory system, and may give rise to hypersensitivity reactions. Vapour or aerosol inhalation may lead to sensitization.

Please take all the measures used for all solvent-containing products while manipulating isocyanate-containing products. Avoid vapour and aerosol inhalation.

People with allergic or asthmatic precedents or subject to respiratory disorders should not handle products containing isocyanates.

#### 3. Composition / Information on ingredients.

##### Contains:

Name.	Concentration % (C).	Classification.
<b>ALIPHATIC POLYISOCYANATE</b>	<b>99,75 %</b>	<b>Xi R 43</b>
C.A.S. number <b>28182-81-2</b>		



# Tenax Spa

## INDURENTE GLAXS 75

Revision nr.3  
Dated 29/12/2009  
Printed on 29/12/2009  
Page n. 2 / 5

EN

**HEXAMETHYLENE-DI-ISOCYANATE**

0,25 %

*C.A.S. number* 822-06-0  
*EC number* 212-485-8  
*INDEX number* 615-011-00-1

T R 23  
Xn R 42/43  
Xi R 36/37/38  
Note 2

The complete text of -R- phrases is specified in section 16.

#### 4. First aid measures.

**EYES:** Irrigate copiously with clean, fresh water for at least 15 minutes. Seek medical advice.  
**SKIN:** Immediately wash with plenty of water. Remove all contaminated clothing. Obtain immediate medical attention. Wash contaminated clothing separately before using them again.  
**INHALATION:** Remove to open air. If breathing is irregular or stopped, administer artificial respiration. Obtain immediate medical attention.  
**INGESTION:** Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Give nothing by mouth to an unconscious person.

#### 5. Fire-fighting measures.

**GENERAL INFORMATION**  
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SUITABLE EXTINGUISHING MEDIA**  
The extinction equipment should be of the conventional kind: carbon dioxide, foam, powder and nebulised water.

**EXTINGUISHING MEDIA WHICH SHALL NOT BE USED FOR SAFETY REASONS**  
None in particular.

**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**  
Do not breathe the combustion products (carbon oxide, toxic pyrolysis products, etc).

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**  
Hardhat with visor, fireproof clothing (fireproof jacket and trousers with straps around arms, legs and waist), work gloves (fireproof, cut proof and dielectric), a depressurised mask with facemask covering the whole of the operator's face or a self-respirator (self-protector) in the event of large quantities of fume.

#### 6. Accidental release measures.

**PERSONAL PRECAUTIONS**  
Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. If there are no contraindications, spray solid products with water to prevent the formation of dust. Use breathing equipment if fumes or powders are released into the air. Block the leakage if there is no hazard. Do not handle damaged containers or the leaked product before donning appropriate protective gear. For information on risks for the environmental and health, respiratory tract protection, ventilation and personal protection equipment, see the other sections of this sheet.

**ENVIRONMENTAL PRECAUTIONS**  
The product must not penetrate the sewers, surface water, ground water and neighbouring areas.

**METHODS FOR CLEANING UP**  
Use inert absorbent material (sand, vermiculite, diatomaceous earth, Kieselguhr, etc.) to soak up leaked product. Collect the majority of the remaining material and deposit it in containers for disposal. If there are no contraindications, use jets of water to eliminate product residues. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 7. Handling and storage.

Store in a well ventilated place, keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, bright flames and sparks and other sources of ignition.

#### 8. Exposure control / personal protection.

##### 8.1 Exposure limit values.

Name	Type	Country		STEL/15min mg/m3	ppm
		TWA/8h mg/m3	ppm		



# Tenax Spa

## INDURENTE GLAXS 75

Revision nr.3  
Dated 29/12/2009  
Printed on 29/12/2009  
Page n. 3 / 5

EN

HEXAMETHYLENE-DI-ISOCYANATE	TLV-ACGIH		0,034				Skin
	OEL	IRL	0,02			0,07	Skin
	WEL	UK	0,02			0,07	Skin
C = CEILING.							

### 8.2 Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration or bad air vent. If such operations do not make it possible to keep the concentration of the product below the permitted workplace exposure thresholds a suitable respiratory tract protection must be used. See product label for hazard details during use. Ask your chemical substance suppliers for advice when choosing personal protection equipment. Personal protection equipment must comply with the rules in force indicated below.

#### HAND PROTECTION

Protect hands with category II (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in PVC, neoprene, nitril or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure.

#### EYE PROTECTION

Wear protective airtight goggles (ref. standard EN 166).

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

#### RESPIRATORY PROTECTION

If the threshold value for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an B or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of breathing protection equipment, such as masks with organic vapour and dust/mist cartridges, is necessary in the absence of technical measures limiting worker exposure. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

An emergency eye washing and shower system must be provided.

### 9. Physical and chemical properties.

Colour	COLOURLESS
Odour	TYPICAL
Appearance	LIQUID-VISCOUS
Solubility	NOT SOLUBLE IN WATER
Viscosity	1200 mPa (23°C)
Vapour density	Not available.
Evaporation speed	Not available.
Comburent properties	Not available.
Partition coefficient: n-octanol/water	Not available.
pH.	Not available.
Boiling point.	Not available.
Flash point.	158 °C.
Explosive properties.	Not available.
Ignition temperature.	445 °C.
Vapour pressure.	Not available.
Molecular weight.	168,190
Specific gravity.	1,16 Kg/l
VOC (Directive 1999/13/EC) :	0
VOC (volatile carbon) :	0

### 10. Stability and reactivity.

The product is stable in normal conditions of use and storage. Due to thermal decomposition or in the event of a fire vapours may be produced potentially dangerous to health.

### 11. Toxicological information.

Upon contact with skin, this product causes sensitization (dermatitis). Dermatitis derives from skin irritation on the areas which repeatedly come into contact with the sensitizing agent. Cutaneous lesions may include: erythemas, edemas, papules, vesicles, pustules, scurvies, ulcerations and exudative phenomena, whose intensity varies according to illness seriousness and affected areas. Erythemas, edemas and exudative phenomena prevail during the acute phase. Scurfy skin, dryness, ulcerations and skin thickening



# Tenax Spa

## INDURENTE GLAXS 75

Revision nr.3  
Dated 29/12/2009  
Printed on 29/12/2009  
Page n. 4 / 5

EN

prevail during the chronic phase.

### 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

### 13. Disposal consideration.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### 14. Transport information.

This product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 15. Regulatory information.

Xi



IRRITANT

**R 43** MAY CAUSE SENSITIZATION BY SKIN CONTACT.

**S 24** AVOID CONTACT WITH SKIN.

**S 37** WEAR SUITABLE GLOVES.

Contains isocyanates. See information supplied by the manufacturer.

Contains: ALIPHATIC POLYISOCYANATE

Danger labelling under directives 67/548/EEC and 1999/45/EC and following amendments and adjustments.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 16. Other information.

Text of -R- phrases quoted in section 3 of the sheet.

**R 23** TOXIC BY INHALATION.

**R 36/37/38** IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

**R 42/43** MAY CAUSE SENSITIZATION BY INHALATION AND SKIN CONTACT.

**R 43** MAY CAUSE SENSITIZATION BY SKIN CONTACT.

#### GENERAL BIBLIOGRAPHY

1. Directive 1999/45/EC and following amendments;
2. Directive 67/548/EEC and following amendments and adjustments (technical adjustment XXIX);
3. Regulation (EC) 1272/2008 (CLP) of the European Parliament;
4. Regulation (EC) 1907/2006 (REACH) of the European Parliament;
5. The Merck Index. - 10th Edition;
6. Handling Chemical Safety;
7. Niosh - Registry of Toxic Effects of Chemical Substances;
8. INRS - Fiche Toxicologique (toxicological sheet);
9. Patty - Industrial Hygiene and Toxicology;



# Tenax Spa

## INDURENTE GLAXS 75

Revision nr.3  
Dated 29/12/2009  
Printed on 29/12/2009  
Page n. 5 / 5

EN

10. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition;

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product .

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Changes to previous review.

The following sections were modified:

03